

ER-RRun 800 (zl 08)

MODEL	STANDARD Utrustning		
ER-RRun 800	Valfri skopa, Converter, Flyt funktion, Joystick, 130W Heater, 220V motor värmare , Rops&Fops Cabin, Tipping Cabin, Lux Cabin , Backkamera, Comfort sits, Justerbar ratt inställning,, Hydraulic Pressure Check System, Parallel Linkage, Däck 31*15.5-15, 35 mm..	91500 SEK	



Tillval:

Mek pallgafflar	3900 SEK	Hyd- snöblad	14900 SEK
Quick Hitch	ingår	Sop aggregat	15900 SEK
Mixer Bucket		Snow Blower	utgått
European Grapple Forks		Snökedjor	3500 SEK / par
Grapple Bucket		4 in 1 Bucket	
Wooden Forks		Hyd- pallgafflar	8900 SEK
Auger		Sand Spridare	11900 SEK
Hydraulic Line(per one more)	ingår	E4 Lamp	ingår
LED Light	ingår	Snö skopa med klaffar	13900 SEK
Snöskopa / plantering skopa	6000 SEK	Varta vinter batteri	ingår

Specifikationer:

1.0 Engine Details	
(1) Model:	ZN390Q
(2) Engine Type:	In-line Arrangement, Water-cooled, Three-cycle Diesel Engine
(3) Rated Power:	25 KW
(4) Rated Speed:	2500 r/min(rpm)
(4) Fuel Consumption Ration in Standard Working Condition:252 g/kw.H	
2.0 Transmission System	
(1) Type:	Fixed-spindle Power Shift
(2) Shift Gear Control Oil Pressure	1.0-1.8MPa
(3) Rated Input Speed:	2500(rpm)
3.0 Bucket	
(1) Bucket Capacity:	0.48 m3
(2) Bucket Width:	1600mm
(3) Bucket Type:	Heavy-duty Bolt on Teeth
(5) Rated Load:	800kg
(6)Operating Weight	2700kg
4.0 Overall Dimensions	
(1) Overall Length(bucket on ground)	4620mm
(2) Overall Height	
(3) Ground to Cab Top:	2540mm
(4) Dumping Height:	2120mm
(5) Min. Base to the Ground	220mm
(6) Overall Width	1500mm
5.0 Operating Specifications	
(1) Steering System:	Articulated Frame with Hydraulic Power Steering
(2) Min. Turning Radius:	5200mm
(3) Driving System:	Hydraulic Converter
6.0 Brake System	
(1) Service Brake	Four Wheel Hydraulic Spread-shoed Brake
(2) Parking Brake	Hand Operated
7.0 Tyre	31*15.5-15

POLARPROD ab Hamngatan 1 38540 Bergkvara (kalmar)

